

KDIGO "Heat map"¹

eGFR:
43 mL/min/1.73 m²

uACR:
25 mg/mmol

- CREDESCENCE²
- DAPA-CKD³
- EMPA-KIDNEY⁴
- FIDELIO/
FIGARO-DKD^{5,6}

- Low risk (in the absence of other markers of kidney disease and CKD)
- Moderately high risk
- High risk
- Very high risk

GFR categories
(mL/min/1.73m²)
Description and range

G1	Normal or high	≥ 90
G2	Mildly decreased	60-89
G3a	Mildly to moderately decreased	45-59
G3b	Moderately to severely decreased	30-44
G4	Severely decreased	15-29
G5	Kidney failure	< 15

Persistent albuminuria categories Description and range

A1	A2	A3
Normal to mildly increased	Moderately increased	Severely increased
< 30 mg/g < 3 mg/mmol	30-300 mg/g 3-30 mg/mmol	> 300 mg/g > 30 mg/mmol
		FIDELIO/ FIGARO-DKD
		CREDESCENCE
		DAPA-CKD
		EMPA-KIDNEY
		Very high risk



ACR: albumin-to-creatinine ratio; CKD: chronic kidney disease; eGFR: estimated GFR; GFR: glomerular filtration rate; KDIGO: Kidney Disease: Improving Global Outcomes.

1. KDIGO CKD Work Group. *Kidney Int Suppl.* 2013;3(1):1-150; 2. Perkovic V, et al. *N Engl J Med* 2019;380(24):2295-2306; 3. Heerspink HJL, et al. *N Engl J Med* 2020;383(15):1436-1446; 4. The EMPA-KIDNEY Collaborative Group. *N Engl J Med.* 2023;388(2):117-127; 5. Bakris GL, et al. *N Engl J Med.* 2020;383:2219-2229; 6. Pitt B, et al. *N Engl J Med.* 2021;385(24):2252-2263.